# Alaska Scientific Crime Detection Laboratory

DataMaster Evaluation Form	
Effective: 1/18/2024	Version: 4.0
Instrument #: 100668 Analyst/Technician(s): Carlie Glaister	
Start Date: 4/8/25  Date Instrument Received: 4/9/25	
Date Institutione received:	
Reason for instrument evaluation FIFCY WHICH EVYOUS	
	*
Visual Inspection:	
Clean	Replace missing screws
Cermetex Box (modem) is secure	☑ Ensure modem cable present
Double Check Valve secured to wall	All tubing and connections secure
	====
O-ring inspection and ensure 2 replacement O-rings in bag	
✓ Attach VOC — VOC Internal Standard ≤ 3.00% ✓ Verify software version	
Condition of item:   No apparent damage   Damaged	
NOTE: As Found Linearity is required if the instrument is not damaged and the internal standard value is not more than 4.00%	
As Found Conditions (if performed): 4/8/25  Parametric Proceure (in Ha): Tomporature (C): Political lumidity (%)	
Barometric Pressure (inHg):Temperature (C):Relative Humidity (%)	
Linearity Test Levels (g/210L): 0.020, 0.080, 0.300	
Notes: No 0-ring present. Attempted VUC twice, filter wheel serror each time, unable to perform linearity or non-drinking subject fest. Suspected functional Problem withe filter wheel.  Out 4/8/25  Attach Non-Drinking Subject Test	
Conclusion:  Ready for Adjustment  Needs Repair	
Ready for Calibration	
Lab Work End Date: 4 9 2	
Page 1 of 1	
All printed copies are uncontrolled.	Approved by: Chemistry Supervisor

## **VERIFICATION OF CALIBRATION REPORT**

of DataMaster dmt Breath Test Instrument State of Alaska

Scientific Crime Detection Laboratory - Statewide Breath Alcohol Program

Serial #: 100668

Date:04/08/2025

# External Standard Test Values Diagnostic Check VERSIONS DMT: 3.02 PTC: 3.03 Modem: 2.6 Questions: 2.2 Filter Wheel Error

# VERIFICATION OF CALIBRATION REPORT

of DataMaster dmt Breath Test Instrument State of Alaska

Scientific Crime Detection Laboratory - Statewide Breath Alcohol Program

Date:04/08/2025

### **External Standard Test Values**

Serial #: 100668

### Diagnostic Check

VERSIONS DMT: 3.02 PIC: 3.03 Modem: 2.6 Questions: 2.2

Filter Wheel Error